(c)2001-2005 Mineral Data Publishing, version 1

**Crystal Data:** Triclinic. *Point Group:*  $\overline{1}$  or 1. Crystals are tabular on  $\{010\}$ , elongated along [100], fluted, acicular, fibrous, to 0.5 mm, in subparallel radiating aggregates. *Twinning:* Polysynthetic on  $\{010\}$ .

**Physical Properties:** Cleavage: Perfect on  $\{010\}$ ; good on  $\{001\}$ . Fracture: Fibrous. Tenacity: Fragile [sic]. Hardness = n.d. D(meas.) = 3.35(2) D(calc.) = 3.34(1)

**Optical Properties:** Transparent. Color: Pale green to colorless. Streak: White. Luster: Vitreous.

Optical Class: Biaxial (+). Orientation:  $Z \wedge a = 18.4^{\circ}$  on  $\{010\}$ . Dispersion: r > v, medium.  $\alpha = 1.602(2)$   $\beta = 1.642(2)$   $\gamma = 1.725(5)$   $2V(\text{meas.}) = 70(3)^{\circ}$   $2V(\text{calc.}) = 73(1)^{\circ}$ 

Cell Data: Space Group:  $P\overline{1}$  or P1. a = 6.435(2) b = 11.257(4) c = 18.662(9)  $\alpha = 74.90(6)^{\circ}$   $\beta = 86.48(7)^{\circ}$   $\gamma = 83.59(4)^{\circ}$  Z = 12

X-ray Powder Pattern: Cap Garonne mine, France. 11.00 (100), 2.920 (60), 2.816 (50), 2.592 (50), 3.171 (30), 18.3 (25), 2.492 (25)

Chemistry:

	(1)	(2)
$\mathrm{As_2O_5}$	52.31	51.89
CuO	35.70	35.91
${\rm H_2O}$	12.00	12.20
Total	100.01	100.00

(1) Cap Garonne mine, France; by electron microprobe, average of seven analyses,  $H_2O$  by TGA; corresponds to  $Cu_{1.00}(As_{1.01}O_3OH) \cdot 0.98H_2O$ . (2)  $Cu(AsO_3OH) \cdot H_2O$ .

Polymorphism & Series: Dimorphous with geminite.

**Occurrence:** A very rare secondary mineral from the oxidized zone of a polymetallic hydrothermal base metal deposit (Cap Garonne mine, France).

**Association:** Tennantite, covellite, geminite, lindackerite, yvonite, mahnertite, arsenopyrite, bismuth, chalcopyrite, quartz.

**Distribution:** In France, from the Cap Garonne mine, near le Pradet, Var, and at the Salsigne mine, 15 km north of Carcassone, Aude.

Name: To honor Professor Dmitry Y. Pushcharovskiy, crystallographer, Moscow State University, Moscow, Russia.

Type Material: Natural History Museum, Geneva, Switzerland.

**References:** (1) Sarp, H. and J. Sanz-Gysler (1997) La pushcharovskite,  $Cu(AsO_3, OH) \cdot H_2O$ , un nouveau minéral de la mine de Cap Garonne, Var (France). Archs Sci. Genève, 50(3), 177-186 (in French with English abs.). (2) (1999) Amer. Mineral., 84, 196–197 (abs. ref. 1).