©2001 Mineral Data Publishing, version 1.2

Crystal Data: n.d. Point Group: n.d. As fine foliae or lamellae, to 2 mm.

Physical Properties: Cleavage: $\{001\}$, perfect. Hardness = 1.5–2 D(meas.) = 2.67-2.71 D(calc.) = n.d.

Optical Properties: Semitransparent. Color: White to bluish. Luster: Pearly on cleavage. Optical Class: Biaxial (-). Orientation: $X \simeq \bot \{001\}$; $Z \wedge c = 3^{\circ}$. $\alpha = 1.514(2)$ $\beta = 1.559(3)$ $\gamma = 1.562(2)$ $2V(\text{meas.}) = 0^{\circ} - 22^{\circ}$

Cell Data: Space Group: n.d. Z = n.d.

X-ray Powder Pattern: Batystau, Kazakhstan; strongest line 17.6 Å after glycerol treatment.

15.3 (100), 4.09 (70), 1.528 (60)

Chemistry:

	(1)	(2)	(3)
SiO_2	47.60	42.75	41.83
Al_2O_3	0.84	0.70	
$\overline{\text{Fe}_2}\overline{\text{O}_3}$	2.16	1.55	
$\overline{\text{MnO}}$	0.40		
CuO	0.60	3.07	
ZnO	26.64	35.00	42.49
MgO	4.62	1.08	
CaO	6.40	2.00	
$\mathrm{H_2O^+}$	4.35	6.00	
${ m H_2O^-}$	6.35	8.50	
$\mathrm{H_2O}$			15.68
Total	99.96	100.65	100.00

(1–2) Batystau, Kazakhstan; after recalculation by subtracting total ${\rm Al_2O_3}$ and ${\rm Fe_2O_3}$ and corresponding CaO and SiO₂ as garnet; remaining CaO and MgO and corresponding SiO₂ as diopside; and CuO, SiO₂, and H₂O as chrysocolla, the average corresponds to ${\rm Zn_3Si_{4.59}O_{12.18}} \bullet 5.34{\rm H_2O}$. (3) ${\rm Zn_3Si_4O_{10}(OH)_2} \bullet 4{\rm H_2O}$.

Occurrence: In the zone of oxidation of a galena-sphalerite-chalcopyrite skarn deposit, as a pseudomorph after diopside.

Association: Chrysocolla, fluorite, "opal," manganese oxides.

Distribution: From the Batystau polymetallicdeposit, central Kazakhstan.

Name: For ZINC and SILicon in the composition.

Type Material: Vernadsky Geological Museum, Moscow, 46337; A.E. Fersman Mineralogical Museum, Academy of Sciences, Moscow, Russia, 61517, 80086, vis5396.

References: (1) Smol'yaninova, N.N., V.A. Moleva, and N.I. Organova (1960) A new aluminum-free member of the montmorillonite-sauconite series. Acad. Sci. URSS, Comm. for Study of Clays, Rept. to Meeting of Int. Comm. for Study of Clays, 45–52 (in Russian). (2) (1961) Amer. Mineral., 46, 241–242 (abs. ref. 1).