©2001-2005 Mineral Data Publishing, version 1

Crystal Data: Hexagonal. Point Group: 6/m 2/m 2/m. As very finely fibrous crystals, to 0.1 mm, typically in spherulitic aggregates.

Physical Properties: Hardness = n.d. D(meas.) = 2.54 D(calc.) = 2.65

Optical Properties: Semitransparent. *Color:* Colorless. *Optical Class:* Uniaxial (+). $\omega = 1.550$ $\epsilon = 1.644-1.650$

Cell Data: Space Group: $P6_3/mmc$. a = 7.135 c = 8.524 Z = 6

X-ray Powder Pattern: Synthetic.

3.30 (100), 2.73 (95), 1.823 (70), 2.065 (60), 3.57 (55), 1.858 (25), 1.647 (25)

Chemistry: (1) Identification depends on correspondence of the X-ray powder pattern with that of synthetic material.

Polymorphism & Series: Trimorphous with aragonite and calcite; metastable below ~400 °C.

Occurrence: A major constituent of a carbonated calcium silicate hydrogel complex formed from larnite (Ballycraigy, Ireland); a rock-forming mineral formed at low temperatures by hydration of metamorphic calc-silicate rocks in the presence of atmospheric ${\rm CO_2}$, in slightly metamorphosed marls and conglomerates, and in weathering crusts (Hatrurim Formation, Israel).

Association: Calcite, aragonite, tobermorite, hydrogarnet, kaolinite (Hatrurim Formation, Israel).

Distribution: From Ballycraigy, Larne, Co. Antrim, Ireland. At the Bellerberg and Emmelberg volcanoes, Eifel district, Germany. From Hopffeldboden, Salzburg, Austria. At Mont Saint-Hilaire, Quebec, Canada. From the Wessels mine, near Kuruman, Cape Province, South Africa. In the Hatrurim Formation, Israel. At Liawenee, near Great Lake, Tasmania, Australia. From the McMurdo area, Antarctica.

Name: To honor Heinrich Vater (1859–1930), Professor of Mineralogy and Chemistry, Tharandt, Germany.

Type Material: n.d.

References: (1) Palache, C., H. Berman, and C. Frondel (1951) Dana's system of mineralogy, (7th edition), v. II, 181–182 [hypothetical mineral]. (2) McConnell, J.D.C. (1960) Vaterite from Ballycraigy, Larne, Northern Ireland. Mineral. Mag., 32, 535–545. (3) Gross, S. (1977) The mineralogy of the Hatrurim Formation, Israel. Geol. Sur. Israel Bull. 70, 21–23. (4) Sato, M. and S. Matsuda (1969) Structure of vaterite and infrared spectra. Zeits. Krist., 129, 405–410. (5) Meyer, H.J. (1969) Struktur und Fehlordnung des Vaterits. Zeits. Krist., 128, 183–212 (in German with English abs.).